STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	15G313	A. BUILDING _____ B. WING _____	C 03/07/2012

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ARC OF NORTHWEST INDIANA INC, THE	19038 MISSISSIPPI ST HEBRON, IN 46341

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
W 000	INITIAL COMMENTS This visit was for the investigation of complaint #IN00103995. COMPLAINT #IN00103995: Unsubstantiated, due to lack of evidence Dates of Survey: March 6 and 7, 2012 Facility number: 000832 Provider number: 15G313 AIM number: 100249150 Surveyor: Tim Shebel, Medical Surveyor III The Arc of Northwest Indiana, Inc. was found to be in compliance with 42 CFR, part 483, subpart I, and 460 IAC 9 in regard to the investigation of complaint #IN00103995. Quality review completed on 3/12/2012 by Dotty Walton, Medical Surveyor III.	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.